This copied document is made available for the sole purpose of enabling its consideration and review as

part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.

The land affected by the application is located at:	9 Lake Victoria Road EAGLE POINT VIC 3878 Lot: 1 PS: 808281
The application is for a permit to:	Buildings and Works for a Dwelling & Outbuilding
A permit is required under th	e following clauses of the planning scheme:
Planning Scheme Clause	Matter for which a permit is required
43.02-2 (DDO)	Construct a building or construct or carry out works.
The applicant for the permit is:	J L Hanna & S L Hanna
The application reference number is:	5.2025.332.1

You may look at the application and any documents that support the application free of charge at: https://www.eastgippsland.vic.gov.au/building-and-development/advertised-planning-permitapplications

You may also call 5153 9500 to arrange a time to look at the application and any documents that support the application at the office of the responsible authority, East Gippsland Shire. This can be done during office hours and is free of charge.

Any person who may be affected by the granting of the permit may object or make other submissions to the responsible authority.

An objection must

- be made to the Responsible Authority in writing,
- include the reasons for the objection, and
- state how the objector would be affected.

The responsible authority must make a copy of every objection available at its office for any person to inspect during office hours free of charge until the end of the period during which an application may be made for review of a decision on the application.

The Responsible Authority will not decide on the application before: Subject to the applicant giving notice	The Responsible Authority will not decide on the application before:	Subject to the applicant giving notice
--	--	--

If you object, the Responsible Authority will tell you its decision.

Planning outpose of enabling its consideration and review as part of a planning process under the Planning and part of a planning process under the Planning and part of a planning process under the Planning and sent formers part 1987. The document must not be s47 Planning and sent formers part 1989; which analy breath any copyright. Environment Regulations 2015

Applicant name: Samant	the and	lease	Hanne	3	100
Business trading name (if appli		jegse	114		
Email address:	_			8	
Postal address:					
A CONTRACTOR OF THE PARTY OF TH				Postcode:	Mark 1
Preferred Phone number		13	Secondary nui	mber:	
Owners Details: (if not the appl	icant)				
Owner name:					
Business trading name (if appli	cable):				
Postal address:					
				Postcode:	
Description of the Land:					
Street number: 9	Street name:	ake	Victor	ia roa	d
Town: Eagle Poin				Postcode 3	
0 100	AND/	OR			
Lot Number:		Plan Num	ber:		
Other Legal Description:					
Other legal description may be a if the proposal relates to multiple and description details for each Declaration in relation to Title Is there any encumbrance on the	e addresses/parcels, additional property. Restrictions:	, please at	ttach a documen	it with a list of t	he owner
173 agreement or other obligat	ion such as an ease	ment or b	uilding envelope	? Yes	No
Will the proposal result in a bre agreement?	ach of a registered of	covenant i	restriction or	Yes	₩ No
Existing conditions:	tly used and develor	ped:			

Page 1 of 3 JUL 2025

Planning unpose of enabling its consideration and review as part of a planning process under the Planning and part of a planning process under the Planning and service be serviced and process which may represent any copyright. Environment Regulations 2015

Description of proposal: Provide a brief description of your proposal:	
Bulding a house and	shed.
Estimated cost of development:	\$ 525,000
Note: You may be required to verify this estimate	¥329,000
Has there been a pre-application meeting: ☐ Yes ☐ No	Officer name:
Your application reference number:	
a proposal which would contravene, alter, or end a co Supporting documents which are mandatory requirem Vegetation Removal Report, Bushfire Management S Plans as relevant to the proposal Suggested, or subject to requirements of the scheme A report responding to the relevant application require East Gippsland Planning Scheme Supporting information/reports which are commonly of Capability Assessment, Bushfire Management Statem If you need more space or have more information, please a	ements of the Planning Scheme (e.g. – Native tatement, Geotechnical report/waiver) ements and the policies and objectives of the onsidered with similar applications (e.g. – Land nent, Geotechnical report/waiver)
Payment of Application Fees This application has an associated cost to be confirmed by Planning and Environment (Fees) Regulations 2016. An invibeen assessed to confirm it is complete.	a senior planning officer in accordance with the voice will be generated once the application has
Invoice Recipient (Payer):	
Address	Postcode:
Email Address	

Page 2 of 3 JUL 2025

This copied document is made available for the sole

Planning purpose prenabling its consideration and review as part of a planning process under the Planning and Application process under the Planning and Environment Act 1987. The document recopyright.

S47 Planning and Environment Act 1987; r13 Planning and Environment Regulations 2015

Privacy Statement

The East Gippsland Shire Council asks for details about you to make decisions on planning permit applications. The information you give to us on this form is used for your application and is required for Council to make its decision under the *Planning and Environment Act* 1987. Sometimes we may provide a copy of this application form to another person, but only if it is for a legitimate purpose that is related to the planning process, or we are allowed by law, or to protect people or property. If your information is put onto Council's website or provided to another person, Council will always try to make sure your privacy is protected in line with the *Privacy and Data Protection Act* 2014. For instance, if requested by another person, after deciding that it is requested for a legitimate purpose, Council will obtain an undertaking from the recipient confirming how they will use your personal information and that they will destroy it once used.

You may ask for more information about Council's Privacy Policy by contacting our Privacy Officer on 03 5153 9500 or e-mail feedback@egipps.vic.gov.au. You can gain access to information you provided to us through the Freedom of Information Act 1982, more information about FOI is available on Council's website.

Declarations:

I declare that I am the applicant and that all the information in this application is true and correct and the owner(s) (if not myself) has (have) been notified of the permit application. I confirm that I have authority to use the relevant documents. In the event that the giving of notice is required pursuant to Section 52 of the *Planning and Environment* Act 1987, I permit documents submitted as part of this application, including my full contact information, to be made available for public viewing on Council's website. In the event that the giving of notice is required pursuant to Section 52 of the *Planning and Environment Act* 1987, and I receive instructions to give notice to potentially affected parties, I confirm that I will destroy the instructions and personal information once the information is no longer necessary. I accept the East Gippsland Shire Council Privacy Statement.

Applicant signature:

Name: Samantha Hanna / Jesse Hanna Date: 07/10/2025

Contact Council



03 5153 9500



feedback@egipps.vic.gov.au



eastgippsland.vic.gov.au



PO Box 1618, Bairnsdale 3875

Customer Service Centres:

• Bairnsdale: 273 Main Street

• Lakes Entrance: 18 Mechanics Street

Mallacoota: 70 Maurice Avenue

Omeo: 179 Day Avenue

• Orbost: 1 Ruskin Street

• Paynesville: 55 Esplanade

Page 3 of 3





//DVEITHOLD

This copied document is made available for the sole Copyright State of Victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1983 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1983 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1983 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1983 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1984 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1984 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1984 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1984 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1984 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1984 (City), to complex with a first state of victoria. No part of this publication may be reproduced except as permitted by the Copyright State of Victoria and part of this publication may be reproduced except as permitted by the Copyright State of Victoria and part of Victoria and victoria

REGISTER SEARCH STATEMENT (Title Seaked) for இவற்ற இரும் Sefwhich may breach அறைம் copyright. Land Act 1958

VOLUME 12094 FOLIO 862

Security no : 124128702706H Produced 06/10/2025 01:12 PM

LAND DESCRIPTION

Lot 1 on Plan of Subdivision 808281L. PARENT TITLE Volume 09715 Folio 230 Created by instrument PS808281L 26/06/2019

REGISTERED PROPRIETOR

Estate Fee Simple Joint Proprietors

ENCUMBRANCES, CAVEATS AND NOTICES

Any encumbrances created by Section 98 Transfer of Land Act 1958 or Section 24 Subdivision Act 1988 and any other encumbrances shown or entered on the plan set out under DIAGRAM LOCATION below.

DIAGRAM LOCATION

SEE PS808281L FOR FURTHER DETAILS AND BOUNDARIES

ACTIVITY IN THE LAST 125 DAYS

NIL

Additional information: (not part of the Register Search Statement)

Street Address: 9 LAKE VICTORIA ROAD EAGLE POINT VIC 3878

ADMINISTRATIVE NOTICES

NIL

eCT Control Effective from

OWNERS CORPORATIONS

The land in this folio is affected by OWNERS CORPORATION 1 PLAN NO. PS808281L



This copied document is made available for the sole

Copyright State of Victoria. No part of this publication may be reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flatting or reproduced except as permitted by the Copyright Act 1968 (3th) to comply writing a flattin The Victorian Government acknowledges the Traditional Owners of Victoria and pays respects to their ongoing connection past, present and emerging. Environment Act 1987. The document must not be

REGISTER SEARCH STATEMENT (Title Search) OT Bay Stepo Softwhich may breach any breach copyright. Land Act 1958

DOCUMENT END

Delivered by LANDATA®, timestamp 21/03/2025 15:12 Portion Copied document is made available for the sole

purpose of enabling its consideration and review as PLAN OF SUBDIVISION planning THOUSES under 1987 Planning and

Environment Act 1987 The document must not be LOCATION OF LAND

PARISH:

used for any purpose which may breach any copyright.

TOWNSHIP:

SECTION: CROWN ALLOTMENT:

49 & 50 (PARTS)

CROWN PORTION-TITLE REFERENCE:

Vol 9715 Fol 230

LAST PLAN REFERENCE. POSTAL ADDRESS: (at time of subdivision) Lot 2 on LP201788X

15 LAKE VICTORIA ROAD. EAGLE POINT, 3878

This plan is certified under section 6 of the Subdivision Act 1988

Statement of Compliance

This is a statement of compliance issued under section 21 of the Subdivision Act 1988

Public Open Space

A requirement for public open space under section 18 of the Subdivision Act 1988 has not been made Digitally signed by: Martin T Ireland for East Gippsland Shire Council on 21/11/2018

MGA94 Co-ordinates (of approx. centre of land in plan)

E 558 940 N 5805 360

ZONE 55

NOTATIONS

Regatta Place is a private road

IDENTIFIER COUNCIL/BODY/PERSON Nil Nil.

VESTING OF ROADS AND/OR RESERVES

NOTATIONS

DEPTH LIMITATION: Does not apply.

SURVEY.

This plan is/is-not based on survey.

STAGING-

This is/is not a staged subdivision. Planning Permit No. 328/2016/P

This survey has been connected to permanent marks No(s). 372 & 465

In Proclaimed Survey Area No. - /

EASEMENT INFORMATION

LEGEND: A - Appurtenant Easement E - Encumbering Easement R - Encumbering Easement (Road)

Section 12(2) of the Subdivision Act 1988 applies to the land in this plan

Easement Width Purpose Origin Land Benefited/In Favour Of Reference (Metres) E-1 Sewerage This plan East Gippsland Region Water Corporation

P:1300 853 157 F:8456 5995 M:0400 543 157 sks@oneplangroup.com.au www.oneplangroup.com.au GIPPSLAND - MELBOURNE SURVEYORS FILE REF: 16561PS-3

Digitally signed by: Scott Charles Kimm, Licensed Surveyor, Surveyor's Plan Version (3), 08/11/2018. SPEAR Ref: S104608V

ORIGINAL SHEET SIZE: A3

PLAN REGISTERED

TIME: 12:52PM DATE: 26/06/2019

Ethan KAO Assistant Registrar of Titles

SHEET I OF 2 SHEETS

ADVERTISED This copied document is made available for the sole purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Ad 1987. The document must not be used for any purpose which may breach any copyright. 2 5272m² COMMON PROPERTY No.1 2074m² 4480m² LAKE 100*21' 72-20 115-03 398lm² 4317m² PAYNESVILLE ROAD

SCALE

1:800

P:1300 853 157 F:8456 5995 M:0400 543 157

sks@oneplangroup.com.au www.oneplangroup.com.au GIPPSLAND - MELBOURNE Digitally signed by: Scott Charles Kimm, Licensed Surveyor Surveyor's Plan Version (3), 08/11/2018, SPEAR Ref: S104608V

Printed 6/11/2025 CamScanner Page 8 of 23

SHEET 2

ORIGINAL SHEET

SIZE: A3
Digitally signed by:
East Gippsland Shire Council,

SPEAR Ref: \$104608\

21/11/2018,

This copied document is made available for the sole purpose of enabling its consideration and review as part of a planning process Green the Planning and Environment Act 1987. The document has the be

ADVERTISED

used for any purpose which may breach any copyright.

PLANNING PROPERTY REPORT

From www.planning.vic.gov.au at 25 September 2025 08:47 AM

PROPERTY DETAILS

Address: 9 LAKE VICTORIA ROAD EAGLE POINT 3878

Lot and Plan Number: Lot 1 PS808281 Standard Parcel Identifier (SPI): 1\PS808281

Local Government Area (Council): EAST GIPPSLAND www.eastaippsland.vic.gov.au

Council Property Number: 99627

Planning Scheme: **East Gippsland** Planning Scheme - East Gippsland

Vicroads 84 C8 Directory Reference:

UTILITIES STATE ELECTORATES

Rural Water Corporation: **Southern Rural Water** Legislative Council: **EASTERN VICTORIA GIPPSLAND EAST** Urban Water Corporation: East Gippsland Water Legislative Assembly:

Melbourne Water: Outside drainage boundary **OTHER**

Registered Aboriginal Party: Gunaikurnai Land and Waters Power Distributor: **AUSNET**


Aboriginal Corporation

Fire Authority: **Country Fire Authority**

<u>View location in VicPlan</u>

Planning Zones

LOW DENSITY RESIDENTIAL ZONE (LDRZ) SCHEDULE TO THE LOW DENSITY RESIDENTIAL ZONE (LDRZ)



Note: labels for zones may appear outside the actual zone - please compare the labels with the legend.

Copyright ® - State Government of Victoria
Disclaimer: This content is provided for information purposes only. No claim is made as to the accuracy or authenticity of the content. The Victorian Government does not accept any liability to any person for the information provided.

Read the full disclaimer at https://www.vic.gov.au/disclaimer

Notwithstanding this disclaimer, a vendor may rely on the information in this report for the purpose of a statement that land is in a bushfire prone area as requiped by section 326 (b) of Land 1962 (Vic). Page 9 of 23

PLANNING PROPERTY REPORT: 9 LAKE VICTORIA ROAD EAGLE POINT 3878


This copied document is made available for the sole purpose of enabling its consideration and review as part of a planning process criterine Planning and Environment Act 1987. The document flust not be

PLANNING PROPERTY REPORT

Planning Overlays

DESIGN AND DEVELOPMENT OVERLAY (DDO)


DESIGN AND DEVELOPMENT OVERLAY - SCHEDULE 11 (DDO11)



Note: due to overlaps, some overlays may not be visible, and some colours may not match those in the legend

ENVIRONMENTAL SIGNIFICANCE OVERLAY (ESO)

ENVIRONMENTAL SIGNIFICANCE OVERLAY - SCHEDULE 1-43 (ESO1-43)



Note: due to overlaps, some overlays may not be visible, and some colours may not match those in the legend

Copyright ® - State Government of Victoria
Disclaimer: This content is provided for information purposes only. No claim is made as to the accuracy or authenticity of the content. The Victorian Government does not accept any liability to any person for the information provided.

Read the full disclaimer at https://www.vic.gov.au/disclaimer

Notwithstanding this disclaimer, a vendor may rely on the information in this report for the purpose of a statement that land is in a bushfire prone area as required by section 326 (b) 6/11/31/2025 of Land 1962 (Vic).

This copied document is made available for the sole purpose of enabling its consideration and review as part of a planning process Greet the Planning and Environment Act 1987. The document flust not be

ADVERTISED


Planning Overlays

OTHER OVERLAYS

Other overlays in the vicinity not directly affecting this land

PLANNING PROPERTY REPORT

VEGETATION PROTECTION OVERLAY (VPO)



Note: due to overlaps, some overlays may not be visible, and some colours may not match those in the legend

Further Planning Information

Planning scheme data last updated on 25 September 2025.

A planning scheme sets out policies and requirements for the use, development and protection of land. This report provides information about the zone and overlay provisions that apply to the selected land. Information about the State and local policy, particular, general and operational provisions of the local planning scheme that may affect the use of this land can be obtained by contacting the local council or by visiting https://www.planning.vic.gov.au

This report is NOT a Planning Certificate issued pursuant to Section 199 of the Planning and Environment Act 1987. It does not include information about exhibited planning scheme amendments, or zonings that may abut the land. To obtain a Planning Certificate go to Titles and Property Certificates at Landata - https://www.landata.vic.gov.au

For details of surrounding properties, use this service to get the Reports for properties of interest.

To view planning zones, overlay and heritage information in an interactive format visit https://mapshare.vic.gov.au/vicplan/

For other information about planning in Victoria visit https://www.planning.vic.gov.au

Copyright ® - State Government of Victoria
Disclaimer: This content is provided for information purposes only. No claim is made as to the accuracy or authenticity of the content. The Victorian Government does not accept any liability to any person for the information provided.

Read the full disclaimer at https://www.vic.gov.au/disclaimer

Notwithstanding this disclaimer, a vendor may rely on the information in this report for the purpose of a statement that land is in a bushfire prone area as request by section 326 (b) of the Salay 2025 of Land 1962 (Vic.). Page 11 of 23

PLANNING PROPERTY REPORT


This copied document is made available for the sole purpose of enabling its consideration and review as part of a planning processing the Planning and Environment Act 1987. The document flust not be

Designated Bushfire Prone Areas

This property is in a designated bushfire prone area. Special bushfire construction requirements apply to the part of the property mapped as a designated bushfire prone area (BPA). Planning provisions may apply.

Where part of the property is mapped as BPA, if no part of the building envelope or footprint falls within the BPA area, the BPA construction requirements do not apply.

Note: the relevant building surveyor determines the need for compliance with the bushfire construction requirements.



Designated BPA are determined by the Minister for Planning following a detailed review process. The Building Regulations 2018, through adoption of the Building Code of Australia, apply bushfire protection standards for building works in designated BPA.

Designated BPA maps can be viewed on VicPlan at https://mapshare.vic.gov.au/vicplan/ or at the relevant local council.

Create a BPA definition plan in VicPlan to measure the BPA.

 $Information for lot owners building in the BPA is available at \underline{https://www.planning.vic.gov.au.}\\$

Further information about the building control system and building in bushfire prone areas can be found on the Victorian Building Authority website $\underline{\text{https://www.vba.vic.gov.au}}. \label{eq:https://www.legislation.vic.gov.au}. \label{eq:https://www.legislation.vic.gov.au}. \label{eq:https://www.legislation.vic.gov.au}. For Planning Scheme \\ \underline{\text{https://www.legislation.vic.gov.au}}. \label{eq:https://www.legislation.vic.gov.au}.$ Provisions in bushfire areas visit https://www.planning.vic.gov.au.

Native Vegetation

Native plants that are indigenous to Victoria and important for biodiversity might be present on this property. This could include trees, shrubs, herbs, grasses or aquatic plants. There are a range of regulations that may apply including need to obtain a planning permit under Clause 52.17 of the local planning scheme. For more information see Native Vegetation (Clause 52.17) with local variations in Native Vegetation (Clause 52.17) Schedule

To help identify native vegetation on this property and the application of Clause 52.17 please visit the Native Vegetation Regulations Map (NVR Map) https://mapshare.vic.gov.au/nvr/and Native vegetation (environment.vic.gov.au) or please contact your relevant council.

You can find out more about the natural values on your property through NatureKit NatureKit (environment.vic.gov.au)

Copyright ® - State Government of Victoria
Disclaimer: This content is provided for information purposes only. No claim is made as to the accuracy or authenticity of the content. The Victorian Government does not accept any liability to any person for the information provided.

Read the full disclaimer at https://www.vic.gov.au/disclaimer

Notwithstanding this disclaimer, a vendor may rely on the information in this report for the purpose of a statement that land is in a bushfire prone area as requested by section 326 (b) of In 1920 25 of Land 1962 (Vic).

Docusign Envelope ID: 8C10F9A3-98CF-40AE-B2B3-F82B6A1A5546

purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.

ADVERTISED





SANTORINI 29

KINGSTON

DRAWING LIST

SHEET No.	SHEET NAME
00	COVER SHEET
01	GENERAL NOTES
02 A	SITE PLAN 250
02 B	SITE PLAN 400
03	FLOOR PLAN
04	ROOF PLAN
05	ELEVATIONS
06	ELEVATIONS
07	SECTION
08	FLOOR COVERINGS
09	INTERNAL ELEVATIONS
10	INTERNAL ELEVATIONS
11	INTERNAL ELEVATIONS
12	INTERNAL ELEVATIONS
13	SLAR PLAN

REV.	DESCRIPTION	DATE	DRAWN	CHECKED
1	CONTRACT PLANS	28/08/2025	M9G	J9I

REVISIONS

	REVISIONS						
D		REV	DESCRIPTION	DATE	DRAWN	CHECKE	
	Ī						
=	_						

N	CHECKED	DRAWING TITLE: COVER SHEET
		0 1 SCALE (A3)
		m
		metricon

ALE (A3)	2 3m	Do NOT scale this drawing. All written dimensions take precedence over scaled dimension. <i>If in doubt, ASN</i>
m	FR	EEDOM

SANTORINI 2	9
FACADE: KINGSTON	

501 Blackburn Road, Mount Waverley, VIC, 3149 P.O. Box 857, Mount Waverley, VIC, 3149

DESIGN:

SPEC: BASE

PRODUCT CODE: OWNER: VF3SAN29KINSN

CEILING: LOT 1 (No. 9) LAKE VICTORIA ROAD 25G R EAGLE POINT

757436

PERMIT N°: WIND SPEED: 40 M/S MASTER ISSUED: 03/04/2023 Metricon homes owns copyright.

Builders Licence N°: CDB-U 52967 ACN: 005 108 752in this drawing.
Unauthorised use, reproduction
or adaption is forbidden and will
be prosecuted.

M9G CHECKED: J9I

CONTRACT PLANS
DATE: 28/08/2 Perinted 6/11/2025

purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.

STANDARD NOTES: AS PER NCC 2022

- REFER TO ALL ASSOCIATED ENGINEERING DRAWINGS FOR DESIGN AND CONSTRUCTION REQUIREMENTS OF STRUCTURAL, SLAB & HYDRAULIC ELEMENTS (where applicable)
- WRITTEN DIMENSIONS TAKE PRECEDENCE, DO NOT SCALE,
- FLOOR PLAN DIMENSIONS ARE TO FRAME SIZE ONLY.
- INTERNAL ELEVATION DIMENSIONS ARE TO PLASTER. · ALL DIMENSIONS ARE SUBJECT TO SITE MEASURE.

- ALL STRUCTURAL TIMBER FRAMING SIZES TO BE IN ACCORDANCE WITH AS1684.2-2021
- NATIONAL TIMBER FRAMING CODE & OR ENGINEERS STRUCTURAL COMPUTATIONS.
- PREFABRICATED ROOF TRUSSES TO MANUFACTURERS SPECIFICATIONS & LAYOUTS.
- WALL BRACING, FIXING, TIE DOWNS, DURABILITY NOTES & ANY ADDITIONAL ENGINEERING REQ. TO BE AS PER ENGINEERS DETAIL
- SPECIFIED EAVE WIDTH, MEASURED FROM FACE OF BRICK (UNO).
- PROVIDE 2No. JAMB STUDS TO ALL INTERNAL DOOR OPENINGS AND ALL SLIDING ROBE DOOR OPENINGS AS PER DETAIL S-TYP-DOOR-01N
- ENSURE RETURN AIR GRILLE & AC VOIDS ARE CLEAR OF TRUSS &/OR FRAMING

CEILING/WALL - GENERAL

- PROVIDE PLASTER LINED CEILINGS TO ALL AREAS (UNO).
- SOFFITS 4.5mm FC SHEET (UNO).
- ALL PARAPET WALLS TO BE PROVIDED WITH COLORBOND METAL CAPPING/FLASHING (50mm) MIN' LAP TO ALL JOINS WITH CONTINUOUS SILICON SEAL BETWEEN & 50mm MIN' VERTICAL
- PROVIDE CAVITY FLASHING & WEEPHOLES AS PER NCC 2022 H1D5 HOUSING PROVISIONS
- WATERPROOFING FOR EXTERNAL ABOVE GROUND USE TO COMPLY WITH AS4654.1-2012 & AS4654.2-2012.

- STEPS/STAIRS & BALUSTRADES

 ALL STEPS MUST COMPLY WITH NCC 2022 H5D2 HOUSING PROVISIONS 11.2.2
- BARRIERS & HANDRAILS MUST COMPLY WITH NCC 2022 H5D3 HOUSING PROVISIONS 11.3 BALUSTRADE IN ACCORDANCE WITH NCC 2022 H5D3 HOUSING PROVISIONS 11.3.3 TO BE INSTALLED WHERE VOIDS, OR INTERNAL & EXTERNAL LANDINGS EXCEED 1000mm ABOVE
- FINISHED GROUND/FLOOR LEVEL PROVIDE SLIP RESISTANCE IN ACCORDANCE WITH NCC 2022 H5D2 HOUSING PROVISIONS 11 2 4 & AS4586-2013
- STAIRS ARE INDICATIVE ONLY, REFER TO DETAILS, SPECIFICATIONS & SELECTION DOCUMENTS.

WET AREAS

- WATERPROOFING OF WET AREAS TO COMPLY WITH NCC 2022 H4D2 HOUSING PROVISIONS 10.2 INCLUDING STATE VARIATIONS AND ADDITIONS.
- · WALL LINING TO WET AREAS TO BE APPROVED WET AREA BOARD (UNO)
- ALL INWARD SWING HINGED WATER CLOSET DOORS TO BE REMOVABLÉ IN ACCORDANCE WITH NCC 2022 H4D5 HOUSING PROVISIONS 10.4.2

WINDOWS & DOORS

- CENTRE ALL WINDOWS & DOORS INTERNALLY TO ROOM (UNO).
- SIZES NOMINATED AS A GENERIC CODE (UNO). FIRST 2 NUMBERS REFER TO HEIGHT & SECOND 2 RELATE TO WIDTH.
- EXTERNAL WINDOWS & DOORS TO COMPLY WITH NCC 2022 H6D1 HOUSING PROVISIONS
- WINDOWS TO COMPLY WITH NCC 2022 H5D3 HOUSING PROVISIONS 11.3.7 & NCC 2022 H1D8 HOUSING PROVISIONS 8.4.6.
- ALL GLAZING TO COMPLY WITH AS1288-2021 & AS2047-2014, & WITH AS4055-2021 FOR WIND
- WINDOWS SHALL BE PROTECTED IN ACCORDANCE WITH NCC 2022 H5D3 HOUSING PROVISIONS 11.3.7 & 11.3.8
- WINDOW SUPPLIER TO SUPPLY COVER BOARDS TO ALL CORNER WINDOWS (UNO).
- TO BE IN ACCORDANCE WITH NCC 2022 H1D8 HOUSING PROVISIONS 8.4.6
- PROVIDE LIGHTWEIGHT CLADDING ABOVE ALL CORNER WINDOWS & CORNER DOORS (UNO).
 SAFETY GLAZING IN HUMAN IMPACT AREAS INCLUDING ADJACENT TO BATHS OR SHOWERS

ENERGY EFFICIENCY NOTES

NOTE: DESIGN MODIFICATIONS MAY BE NECESSARY TO ACHIEVE REQUIRED ENERGY RATING, BASED ON SPECIFIC SITING. REFER TO SPECIFICATION & CONTRACT DOCUMENTATION.

- PROVIDE BULK CEILING INSULATION & EXTERNAL WALL INSULATION AS PER STD SPECIFICATIONS (UNO).
- PROVIDE WEATHER STRIPPING TO WINDOWS & ALL EXTERNAL HINGED DOORS.
- PROVIDE DRAFT PREVENTION TO EXHAUST FANS, AS PER RELEVANT BUILDING CODES.
- SEALED GAPS AROUND WINDOWS & EXTERNAL DOORS TO BE INSTALLED IN ACCORDANCE WITH NCC 2022 H1D7 HOUSING PROVISIONS 7 5 6 & AS/NZS 2904-1995
- INSULATION OF SERVICES AS PER NCC 2022 H6D2 HOUSING PROVISIONS 13.7.2
- HEATING AND COOLING DUCTWORK AS PER NCC 2022 HOUSING PROVISIONS H6D2 13.7.4 &
- ARTIFICIAL LIGHTING AS PER NCC 2022 H6D2 HOUSING PROVISIONS 13.7.6
- WHERE APPLICABLE, PROVIDE SUB-FLOOR VENTILATION IN ACCORDANCE WITH NCC 2022 H2D5 HOUSING PROVISIONS 6.2.1 TO SUSPENDED TIMBER FLOORS.

MISCELLANEOUS

- PROVIDE CAVITY FLASHING & WEEPHOLES AS PER NCC 2022 H1D5 HOUSING PROVISIONS
- PLIABLE BUILDING MEMBRANES TO COMPLY WITH NCC 2022 H4D9 HOUSING PROVISIONS 10.8.1 & AS4200.1-2017 & BE INSTALLED IN ACCORDANCE WITH AS4200.2-2017
- ALL PLUMBING, DRAINAGE & ASSOCIATED WORKS TO COMPLY WITH THE PLUMBING CODE OF
- AUSTRALIA, NCC 2022 H2D2 HOUSING PROVISIONS 3.3 & AS/NZS 3500.3-2021 PROVIDE MINIMUM 115mm SLOTTED GUTTERS WITH APPROVED OVERFLOW PROVISIONS AS
- REQUIRED. ALL EXHAUST SYSTEMS TO COMPLY WITH NCC 2022 H4D9 HOUSING PROVISIONS 10.8.2,
- INCLUDING "MAKE UP AIR" VENTILATION METHOD AS PER 10.8.2 (5)(a) WHERE REQUIRED, BATHROOM AND SANITARY COMPARTMENT EXHAUST FANS TO ACHIEVE
- A MINIMUM FLOW RATE OF 25 L/s, & 40 L/s FOR A KITCHEN OR LAUNDRY.
- PROVIDE TERMITE MGT. SYSTEM AS PER AS3660.1-2014.
- ALL SMOKE ALARMS TO COMPLY WITH AS3786-2014, CONNECTED TO MAINS POWER, AND INTERCONNECTED WHERE APPLICABLE. INSTALLATION TO BE IN ACCORDANCE WITH NCC 2022 H3D6 HOUSING PROVISIONS 9.5.4
- LOCATIONS OF ELECTRICAL COMPONENTS & VENTS SHOWN ARE INDICATIVE ONLY, AND MUST BE INSTALLED TO REQUIRED DISTANCES FROM WALL & CEILING JUNCTIONS.
- BUILDINGS IN BUSHFIRE PRONE AREAS TO COMPLY WITH AS3959-2018.
- DWELLINGS WITHIN 1km OF A BAY/10km OF A SURF COAST MUST HAVE ALL STEEL & MORTAR IN ACCORDANCE WITH SECTION 5 OF AS3700-2018.
- TEMPORARY DOWNPIPES TO BE INSTALLED DURING CONSTRUCTION TO PREVENT WATER PONDING NEAR THE FOOTINGS.

STEEL FRAMING REQUIREMENTS (WHERE APPLICABLE):

- STEEL FRAME & TRUSSES REQUIRING THE ISSUE OF A SIGNED COMPLIANCE CERTIFICATE FOR THE BUILDING DESIGN - FORM 15 UPON COMPLETION AND PRIOR TO FINAL CERTIFICATION
- STEEL FRAMES AND TRUSSES TO COMPLY WITH:
- · AS/NZS 1170.0-2002 STRUCTURAL DESIGN ACTIONS: PART 0: GENERAL PRINCIPLES
- AS/NZS 1170.1-2002 STRUCTURAL DESIGN ACTIONS: PART 1: PERMANENT, IMPOSED AND
- OTHER ACTIONS
- · AS/NZS 4600-2018 COLD-FORMED STEEL STRUCTURES
- AS4055-2021 WIND LOADS FOR HOUSING
- AS4100-2020 STEEL STRUCTURES CODE AS3623-1993 DOMESTIC METAL FRAMING
- AS3566.1-2002 SELF DRILLING SCREWS
- NASH STANDARDS

STEEL FRAMING SUPPLIER TO PROVIDE DESIGN, CONNECTORS AND FIXING HARDWARE FOR ALL STEEL TO STRUCTURAL TIMBER MEMBERS (UNO BY ENGINEER).

ENERGY EFFICIENCY:

NOTE: DESIGN MODIFICATIONS MAY BE NECESSARY TO ACHIEVE REQUIRED ENERGY RATING, DEPENDING ON SITING.

PROVIDED IN THE PLANS:

DOOR SEALS

SEALS TO EXTERNAL HINGED DOORS (INCL. GARAGE INTERNAL ACCESS DOOR).

WINDOWS -

SHALL BE WEATHER STRIPPED

DRAFT EXCLUSION -

REFLECTIVE SISALATION WEATHER WRAP WITH TAPED HORIZONTAL AND VERTICAL JOINTS. SEALED GAPS AROUND WINDOWS AND EXTERNAL DOORS TO BE INSTALLED IN ACCORDANCE WITH NCC 3.5.4.6 & AS/NZS 2904

CEILING INSULATION -

R6.0 WITH R2.5 BATTS TO EXTERNAL PERIMETER EXCLUDES OUTDOOR ROOM, VERANDAH, PORTICO AND GARAGE

WALL INSULATION

R2.5 BATTS TO ALL EXTERNAL WALLS INCL. HOUSE / GARAGE WALLS AND HOUSE / ROOF SPACE WALLS. NO INSULATION TO GARAGE WALLS.

FIRST FLOOR INSULATION -

R4.1 BATTS TO FLOOR AREA ABOVE GARAGE PORTICO, VERANDAH AND OUTDOOR ROOM.

DOWNLIGHTS -

ALL DOWNLIGHTS TO BE SEALED.

EXHAUST FANS - DRAFT PREVENTION TO EXHAUST FANS. TO RELEVANT BUILDING CODES.

INTERNAL WALLS -

R2.5 TO INTERNAL GARAGE WALLS


R2.0 INTERNAL WALLS TO LAUNDRY, BATHROOM & WC

FACADE DETAIL

S-TYP-KING-20N KINGSTON FACADE DETAIL

NOTES:

REFER TO "METRICON - WINDOW AND DOOR CODE SIZE GUIDE"



DRAWING TITLE:

SANTORINI 29 FACADE:

KINGSTON 501 Blackburn Road, Mount Waverley, VIC, 3149 P.O. Box 857, Mount Waverley, VIC, 3149 © COPYRIGHT

Builders Licence N°: CDB-U 52967 ACN: 005 108 752in this drawing.
Unauthorised use, reproduction or adaption is forbidden and will be prosecuted.

PRODUCT CODE:

VF3SAN29KINSN

CEILING: LOT 1 (No. 9) LAKE VICTORIA ROAD 25G R **EAGLE POINT** 757436 OB N°:

OWNER:

PERMIT N°: TBC VIND SPEED: 40 M/S MASTER ISSUED: 03/04/2023 M9G CHECKED: J9I SHEET:

CONTRACT PLANS DATE: 28/08/2007 PLANS DATE: 28/08/2007 PLANS

purpose of enabling its consideration and review as

part of a planning process under the Planning and

REFER ENGINEER'S FOOTING DESIGN SOIL CLASSIFICATION 'P (M)' **REFER SOIL REPORT (REF. No: 229946)**

FILL APPROX. 650mm OVER HOUSE AREA. **BATTERS TO BE 30 DEGREES**

SLAB STEPDOWNS:

THE FOLLOWING STEP DOWNS ARE TAKEN FROM F.F.L. OF HOUSE SLAB:-

149 MM PORTICO: OUTDOOR ROOM: 149 MM

CUT/FILL AREAS:

NOTE: AREAS ARE TAKEN FROM THE CUT LINE TO THE OUTER EDGE OF THE CUT BATTER AND FILL

CUT -0 SQM 477 SOM FILL-

TERMITE PROTECTION:

PROVIDE TERMITE PROTECTION IN ACCORDANCE WITH A.S.3660.1.

SITE EXCAVATIONS:

ALL SITE EXCAVATIONS AND/OR RETAINING WALLS TO BE A MINIMUM OF 200MM FROM ANY BOUNDARY

GARDEN AND SITING REQUIREMENTS:

>650M2 - 35% OF THE ALLOTMENT

1960 M2 > 801 M2 COMPLIES

BUSHFIRE PROTECTION (BAL 12.5):

PROPOSED DWELLING TO BE CONSTRUCTED IN ACCORDANCE WITH BUSHFIRE REQUIREMENTS (BAL 12.5) AS PER A.S. 3959 **GENERAL NOTE:**

COMPLIANCE WITH NCC 2022

COMPLIANCE WITH NCC 2022 CLAUSE 10.8.1 COMPLIANCE WITH NCC 2022 CLAUSE 10.8.2 COMPLIANCE WITH NCC 2022 CLAUSE 13.4.4 ROOF DRAINAGE:

GUTTERS AND DOWNPIPES TO BE IN ACCORDANCE WITH A.S. 3500

TEMPORARY DOWNPIPES:

TEMPORARY DOWNPIPE SOCKS TO BE USED DURING CONSTRUCTION UNTIL DOWNPIPES ARE CONNECTED TO PREVENT POINDING NEXT TO SLAB

TEMPORARY FENCING:

BUILDER TO PROVIDE TEMPORARY FENCING TO ANY UNFENCED BOUNDARIES (LOCAL AUTHORITY BYLAW)

SUSTAINABLE ENERGY:

DWELLING TO COMPLY W/- RELEVANT SUSTAINABLE ENERGY REQUIREMENTS.


RESCODE NOTES:


SITING WILL BE SUBJECT TO FULL RESCODE GUIDELINES FOR BUILDING APPROVAL & CONSEQUENTLY, SITINGS MAY DIFFER FROM OWNERS ORIGINAL REQUEST IN ORDER TO ACCOMMODATE RESCODE REQUIREMENTS.


OWNER TO PROVIDE 1.8M H SCREENING PRIOR TO COMMENCEMENT OF CONSTRUCTION TO ACHIEVE CERTIFICATE OF OCCUPANCY UPON COMPLETION THIS IS TO COMPLY WITH REG. 4.19 (OVERLOOKING REQUIREMENTS.)


TREE REMOVAL REQUIREMENTS:


SITE TO BE CLEARED BY OWNER OF ANY EXISTING TREES AND OR PRUNE TREES WHICH WILL AFFECT THE BUILDING AREA PRIOR TO AUTHORITY TO COMMENCE CONSTRUCTION (ACC) OWNER TO OBTAIN APPROVAL FROM RELEVANT



















DESIGN: PRODUCT CODE: OWNER: **SANTORINI 29** VF3SAN29KINSN CEILING: LOT 1 (No. 9) LAKE VICTORIA ROAD 25G R **EAGLE POINT** OB N°: 757436 PERMIT N°: TBC 501 Blackburn Road, Mount Waverley, VIC, 3149 P.O. Box 857, Mount Waverley, VIC, 3149 © COPYRIGHT MASTER ISSUED: 03/04/2023 VIND SPEED: 40 M/S Builders Licence N°: CDB-U 52967 ACN: 005 108 752 in this drawing.

Unauthorised use, reproduction or adaption is forbidden and will be presented.

M9G CHECKED: **CONTRACT PLANS** DATE: 28/08/2 rinted

SHEET:

REFER ENGINEER'S FOOTING DESIGN

ADVERTISED

purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright

REFER SOIL REPORT (REF. No: 229946) FILL APPROX. 650mm OVER HOUSE AREA.

SOIL CLASSIFICATION 'P (M)'

BATTERS TO BE 30 DEGREES SLAB STEPDOWNS:

THE FOLLOWING STEP DOWNS ARE TAKEN FROM F.F.L. OF HOUSE SLAB:-

149 MM PORTICO: OUTDOOR ROOM:

CUT/FILL AREAS:

NOTE: AREAS ARE TAKEN FROM THE CUT LINE TO THE OUTER EDGE OF THE CUT BATTER AND FILL

CUT -0 SQM 477 SOM FILL-

TERMITE PROTECTION:

PROVIDE TERMITE PROTECTION IN ACCORDANCE WITH A.S.3660.1.

SITE EXCAVATIONS:

ALL SITE EXCAVATIONS AND/OR RETAINING WALLS TO BE A MINIMUM OF 200MM FROM ANY BOUNDARY

GARDEN AND SITING REQUIREMENTS:

>650M2 - 35% OF THE ALLOTMENT

1960 M2 > 801 M2 COMPLIES

BUSHFIRE PROTECTION (BAL 12.5):

PROPOSED DWELLING TO BE CONSTRUCTED IN ACCORDANCE WITH BUSHFIRE REQUIREMENTS (BAL 12.5) AS PER A.S. 3959 **GENERAL NOTE:**

COMPLIANCE WITH NCC 2022

COMPLIANCE WITH NCC 2022 CLAUSE 10.8.1 COMPLIANCE WITH NCC 2022 CLAUSE 10.8.2 COMPLIANCE WITH NCC 2022 CLAUSE 13.4.4 ROOF DRAINAGE:

GUTTERS AND DOWNPIPES TO BE IN ACCORDANCE WITH A.S. 3500

TEMPORARY DOWNPIPES:

TEMPORARY DOWNPIPE SOCKS TO BE USED DURING CONSTRUCTION UNTIL DOWNPIPES ARE CONNECTED TO PREVENT POINDING NEXT TO SLAB

TEMPORARY FENCING:

BUILDER TO PROVIDE TEMPORARY FENCING TO ANY UNFENCED BOUNDARIES (LOCAL AUTHORITY BYLAW)

SUSTAINABLE ENERGY:

DWELLING TO COMPLY W/- RELEVANT SUSTAINABLE ENERGY REQUIREMENTS.


RESCODE NOTES:


SITING WILL BE SUBJECT TO FULL RESCODE GUIDELINES FOR BUILDING APPROVAL & CONSEQUENTLY, SITINGS MAY DIFFER FROM OWNERS ORIGINAL REQUEST IN ORDER TO ACCOMMODATE RESCODE REQUIREMENTS.

OWNER TO PROVIDE 1.8M H SCREENING PRIOR TO COMMENCEMENT OF CONSTRUCTION TO ACHIEVE CERTIFICATE OF OCCUPANCY UPON COMPLETION THIS IS TO COMPLY WITH REG. 4.19 (OVERLOOKING REQUIREMENTS.)


TREE REMOVAL REQUIREMENTS:

SITE TO BE CLEARED BY OWNER OF ANY EXISTING TREES AND OR PRUNE TREES WHICH WILL AFFECT THE BUILDING AREA PRIOR TO AUTHORITY TO COMMENCE CONSTRUCTION (ACC) OWNER TO OBTAIN APPROVAL FROM RELEVANT AUTHORITY, IF REQUIRED.





NOTES: 293.00 m² 328.00 m² 1960.00 m² 35.00 m²



TREE

TREE


\ STRUCTURAL

/ ROOT ZONE


ZONE

SITE AREA

2288.00 m²







DRAWING TITLE:

	DESIGN: SANTORI
recedence doubt, ASK.	FACADE: KINGSTO
4	501 Blackburn F P.O. Box 857, Builders Licence
EASE	Tel: 1300 786 7 www.metricon

SIGN: I ntorini 29	PRODUCT CODE: VF3SAN29KINSN	OWNER:						
CADE: NGSTON	CEILING: 25G R		No. 9) LA POINT	KE VI	CTOF	RIA RO/	AD	
1 Blackburn Road, Mount Waverley, VIC, 3149	© COPYRIGHT	JOB N°:	757436		PERMI	TNº:	TBC	
O. Box 857, Mount Waverley, VIC, 3149	Metricon homes owns copyright	WIND SPEE	D: 40 M/S		MASTE	R ISSUED): 03/04/20)23
ilders Licence N°: CDB-U 52967 ACN: 005 108 75	i2in this drawing. Unauthorised use, reproduction	DRAWN:	M9G	CHEC	KED:	J9I	SHEET:	
l: 1300 786 773 ww.metriconhomes.com.au	or adaption is forbidden and will be prosecuted	-	CONTRA	CT PL	ANS		02 B	/13

DATE: 28/08/2

ADVERTISED Docusign Envelope ID: 8C10F9A3-98CF-40AE-B2B3-F82B6A1A5546 purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be (\mathtt{D}) used for any purpose which may breach any copyright. LONGEST HORIZONTAL DIMENSION HIGH LEVEL = Ridge &/or Hips Roof Plane 1 NCC Roof Pitch Category (High/Ridge) NCC Venting Requirement - Ridge, Hips, Highside DΡ NCC REQUIRED VENTED OPEN AREA per Roof Plane PAB19 = Ridge sarking termination + BAL Mes 5000 Ventilation Open Area per m, or per device, or PAB. # of HIGH SIDES TO VENT $2\ sides = Ridge/Hips.\ 1\ side = Skillion,\ or\ Roof\ intersection\ to\ 1st\ floor\ wall,\ or\ Trim\ Deck\ Venting\ Length\ (Ridge+Hips)\ Hips\ to\ 900\ down\ from\ roof\ high\ point$ TOTAL DESIGN VENTED OPEN AREA 209937 -- Exhaust venit---22.50° Roof Plane PASS / FAIL = Actual Open Area - NCC Requirement COMPLIES WITH NCC2022 10.8.3 Roof Ventilation Open Area Requiren CORRUGATED SHEET METAL ROOFING ROTARY ROOF =22.50°= LOW LEVEL ROOF VENTILATION Roof Plane 1 Metal Lysaght - Custon Orb Yes Yes 24182 Longest Horizontal Dimension of the Roof Total Length to Ventilate 48364 Roof Pitch - degrees
NCC Roof Pitch Category (Low)
NCC Ventilation Openings (mm²/r 22.5 15 to 75 338548 NCC REQUIRED VENTED OPEN AREA per Roof Plane (Vol EG7000 & sarking APPROX. LOCATION OF 3KW EXHAUST VENT SOLAR PV PANELS ACTUAL DESIGN VENTED OPEN AREA (Vo 789324.4704 Roof Plane PASS / FAIL = Act 450776.4704 COMPLIES WITH NCC2022 10.8.3 Roof Ventilation Open Area Rec **LEGEND** LOW LEVEL ROOF VENTILATION TO PERIMETER LENGTH OF HIGH LEVEL VENTILATION REQUIRED WITHIN 900mm OF HIGHEST POINT DRAWING TITLE: PRODUCT CODE: OWNER: **SANTORINI 29** VF3SAN29KINSN **ROOF PLAN CONTRACT DRAWINGS** Do NOT scale this drawing.

All written dimensions take precedence over scaled dimension. If in doubt, ASK. FACADE: CEILING: LOT 1 (No. 9) LAKE VICTORIA ROAD referred t KINGSTON 25G R EAGLE POINT Dated ... JOB N°: 757436 PERMIT N°: 501 Blackburn Road, Mount Waverley, VIC, 3149 P.O. Box 857, Mount Waverley, VIC, 3149 © COPYRIGHT WIND SPEED: 40 M/S MASTER ISSUED: 03/04/2023 Builders Licence N°: CDB-U 52967 ACN: 005 108 752in this drawing.
Unauthorised use, reproduction
or adaption is forbidden and will
be prosecuted. M9G CHECKED: J9I SHEET: **CONTRACT PLANS** metricon DATE: 28/08/21/2025

ADVERTISED Docusign Envelope ID: 8C10F9A3-98CF-40AE-B2B3-F82B6A1A5546 purpose of enabling its consideration and review as part of a planning CONTRACTICIRAWINGS anning and Environment Act 1987 The document must not be ROTARY ROOF used for any purpose which may breach any copyright. CORRUGATED SHEET METAL EXHAUST VENT-ROOFING Signed Bu28-09-2025-1-1-128209N207EST11:07 AM A 22.50° Signed Purchased .. EXHAUST VENT FC SHEET INFILL TO EAVE END OPEN ////_DP/// FILL— N.G.L. ALUMINIUM SLIDING DOOR -ALUMINIUM DOOR FRAME OUTDOOR ROOM N.G.L. HOUSE SLAB OUTDOOR ROOM BEAM (REFER TO ENGINEERING) **C** | **ELEVATION** 1:100 **ROTARY ROOF** -EXHAUST VENT-VENT CORRUGATED EAVE WIDTH TAKEN SHEET METAL FROM PORTICO BEAM-<u>↓450</u> EAVE 600 LEAVE 150 22.50° 2NO. CORBELLED BRICK COURSES TO TOP PIER PORTICO BEAM (REFER TO **ENGINEERING**) N.G.L. APPROX. ALUMINIUM SLIDING DOOR HOUSE SLAB_ REBATE PORTICO LOCATION WITH DECAL STEPDOWN OF GAS BOTTLE(S) (BY CUSTOMER) **D ELEVATION** 1:100 NOTES: OWNER: DRAWING TITLE: DESIGN: PRODUCT CODE: **SANTORINI 29** IMPORTANT NOTE:
REFER TO SOIL ENGINEERS PLANS PLANS VF3SAN29KINSN PROVIDE BRICKWORK ABOVE ALL SIDE AND REAR ELEVATION WINDOWS & DOORS AS REQUIRED UNLESS **ELEVATIONS** REFER TO COLOUR SCHEDULE AND CONTRACT DOCUMENTS FOR ALL MANUFACTURER DETAILS AND PROVIDE 3 COAT RENDER FOR ARTICULATION JOINT LOCATION TO FRONT PIERS NOTED OTHERWISE Do NOT scale this drawing.

All written dimensions take precedence over scaled dimension. If in doubt, ASK. FACADE: CEILING: LOT 1 (No. 9) LAKE VICTORIA ROAD **KINGSTON** 25G R COLOUR FINISHES. **EAGLE POINT** OB N°: 757436 PERMIT N°: TBC NOTE: PROVIDE DOUBLE GLAZING TO ALL 501 Blackburn Road, Mount Waverley, VIC, 3149 P.O. Box 857, Mount Waverley, VIC, 3149 © COPYRIGHT VIND SPEED: 40 M/S MASTER ISSUED: 03/04/2023 **FREEDOM** PROVIDE ALUM. MESH INSECT Metricon nomes owns cupying in Builders Licence N°: CDB-U 52967 ACN: 005 108 752 in this drawing. Unauthorised use, reproduction or adaption is forbidden and will www.metriconhomes.com.au be prosecuted. SCREENS TO ALL STANDARD OPENABLE WINDOWS AND DOORS M9G CHECKED: SHEET: WINDOWS & SLIDING DOORS THROUGHOUT EXC. (W16)

metricon

SPEC: BASE

CONTRACT PLANS

DATE: 28/08/2 Printed

purpose of enabling its consideration and review as part of a planning process under the Planning and Environment Act 1987. The document must not be used for any purpose which may breach any copyright.

BUSHFIRE REQUIREMENTS: B.A.L-12.5

WALLS

- 4.5MM THICK (NOM) FIBRE CEMENT SHEET INFILLS ABOVE SIDE AND REAR ELEVATION WINDOWS AND DOORS.
- ALL LIGHTWEIGHT CLAD AREAS (WHERE INCLUDED) TO BE MINIMUM 4.5MM THICK FIBRE CEMENT BASED PRODUCT.
- STANDARD WEATHERWRAP TO WALLS TO REMAIN.

VENTS & WEEPHOLES

- PROVIDE WEEPA HIGH PERFORMANCE **BUSHFIRE WEEPHOLE WITH STAINLESS STEEL**
- ALL JOINTS IN THE EXTERNAL SURFACE MATERIAL OF WALLS SHALL BE COVERED, SEALED, OVERLAPPED, BACKED OR BUTT-JOINTED TO PREVENT GAPS GREATER THAN 2MM

WINDOWS

- PROVIDE A MINIMUM OF 4MM TOUGHENED GLASS TO WINDOWS AND SIDELIGHTS WITHIN 400MM OF A HORIZONTAL SURFACE. NOTE: EXTERNAL PANE OF DOUBLE GLAZED WINDOWS TO BE A MINIMUM OF 4MM TOUGHENED.
- PROVIDE ALUMINIUM FRAMED SCREENS WITH ALUMINIUM MESH TO ALL OPENABLE WINDOWS (OPENABLE SECTION ONLY). NOTE: THIS ITEM INCLUDES ALUMINIUM FRAMED SCREENS TO OPENABLE TIMBER WINDOWS (WHERE APPLICABLE).
- ALL STANDARD WINDOW AND DOOR HARDWARE COMPLIES
 - STANDARD MERANTI TIMBER FRAMED WINDOWS COMPLY

EXTERNAL DOORS

- PROVIDE A MINIMUM OF 4MM TOUGHENED GLASS TO GLAZED BI-FOLD DOORS AND SLIDING DOORS. NOTE:LAMINATED GLASS DOES NOT COMPLY.
- WEATHERSTRIPS TO THE BOTTOM OF EXTERNAL HINGED DOORS (THIS ONLY APPLIES TO DOORS THAT DO NOT HAVE A FULLY SEALED FRAME).
- GARAGE DOORS PROVIDE EMBER SEALS TO COLORBOND
 SECTIONAL DOORS AND ROLLER DOORS (WHERE INCLUDED). NOTE: TIMBER GARAGEDOORS AND/OR WINDOW PANELS DO NOT COMPLY.
- STANDARD GARAGE EXTERNAL HINGE DOOR TO BE
- EXTERNAL DOORS 35MM SOLID TIMBER OR NON-COMBUSTIBLE KICK PLATE OUTSIDE TO 400MM ABOVE THRESHOLD. PROVIDE FLYSCREEN TO LAUNDRY TIMBER
- HINGE DOOR IF APPLICABLE
- STANDARD MERANTI TIMBER SLIDING & BI-FOLD DOORS COMPLY
- STANDARD MERANTI TIMBER FRAMED DOORS COMPLY

WATER & GAS SUPPLY PIPES ABOVE GROUND

METAL DRAINAGE VENT PIPES WITH METAL MESH TO OPENINGS.

MISCELLANEOUS

- SPOTTED GUM PLINTHS TO POSTS WHERE
- EXTERNAL STAIRS AND DECKING TO BE BLACK
- 75MM BETWEEN F.F.L. AND BOTTOM OF TIMBER

ROOFING


- PROVIDE ROOF SARKING TO ENTIRE ROOF AREA INCLUDING THE RIDGE AND EXTEND INTO GUTTERS AND VALLEYS.
- PROVIDE COLORBOND WHIRLY BIRD WITH EMBER GUARDS TO ROOF.
- PROVIDE ANTI-PONDING BOARDS TO PERIMETRE IF TILED ROOFS.
- PROVIDE STORM SEAL TO ROOF VALLEYS. NOTE:
- THIS ITEM APPLIES TO TILED ROOFS ONLY.
 VERANDAHS SEPARATED FROM THE MAIN ROOF SPACE (WHERE INCLUDED) BY AN EXTERNAL WALL MUST HAVE A METAL ROOF.
 - THE ROOF/WALL JUNCTION SHALL BESEALED, TO PREVENT OPENINGS GREATER THAN 2MM.

ROOF PENETRATIONS

- ROOF PENETRATIONS, INCLUDING ROOF LIGHTS, ROOF VENTILATORS, ROOF MOUNTED EVAPORATIVE COOLING UNITS, AERIALS, VENT PIPES AND SUPPORTS FOR SOLAR COLLECTORS, SHALL BE ADEQUATELY SEALED AT THE ROOF TO PREVENT GAPS GREATER THAN 2MM. THE MATERIAL USED TO SEAL THE PENETRATION SHALL BE NON COMBUSTIBLE.
- OPENINGS IN VENTED ROOF LIGHTS, ROOF VENTILATORS OR VENT PIPES SHALL BE FITTED WITH EMBER GUARDS MADE FROM A MESH OR PERFORATED SHEET WITH A MAXIMUM APERTURE OF 2MM, MADE FROM CORROSION RESISTANT STEEL, BRONZE OR ALUMINIUM.
- EVAPORATIVE COOLING UNITS SHALL BE FITTED WITH BUTTERFLY CLOSERS AT OR NEAR THE CEILING LEVEL OR THE UNIT SHALL BE FITTED WITH NON-COMBUSTIBLE COVERS WITH A MESH OR PERFORATED SHEET WITH A MAXIMUM APERTURE SIZE OF 2MM MADE OF CORROSION RESISTANT METAL BRONZE OR ALUMINIUM.
- PROVIDE UPGRADE TO STANDARD CHROMAGEN SOLAR HOT WATER UNIT (GAS OR ELECTRICAL) TO COMPLY WITH BUSHFIRE REQUIREMENTS (BAL 12.5, BAL 19 AND BAL 29) INCLUDING:
 - UV AND TEMPERATURE RESISTANT SOLAR DEKTITE (SOLADEK) IN LIEU OF STANDARD
 - SOLAR ARMAFLEX IN LIEU OF STANDARD ARMAFLEX.
 - IF A GAS BOOSTER HAS BEEN PROVIDED, REPLACE THE FLEXIBLE CONNECTOR BETWEEN THE TANK AND THE BOOSTER WITH HALF-INCH COPPER LINE.
 - PROTECTIVE HOUSING TO THE PUMP AND
 - SOLAR COLLECTORS TO BE SEALED AT THE ROOF TO PREVENT GAPS GREATER THAN 2MM.
 - ALL WATER AND GAS CONNECTIONS TO BE METAL

EAVES, LININGS, FACIAS & GABLES

- EAVES, LININGS, FACIAS & GABLES TO HAVE A GAP NO GREATER THAN 2MM.
- STANDARD PVC STRIPS TO EAVES TO
- REMAIN (WHERE INCLUDED).
 GABLES TO BE LINED WITH A MINIMUM 4.5MM THICK (NOM) FIBRE CEMENT SHEET.



Y SECTION 1:100


REFER ENGINEER'S FOOTING DESIGN SOIL CLASSIFICATION 'P (M)' **REFER SOIL REPORT (REF. No: 229946)**

NOTE: SECTION VIEW IS INDICATIVE ONLY-CONSTRUCTION DETAILS, COLOUR SELECTION & CONTRACT DOCUMENTATION ITEMS TAKE PRECEDENCE

ALUMINIUM WINDOW AND DOOR FRAMES BY SOUTHERN STAR ALUMINIUM WINDOWS AND DOORS. TIMBER WINDOWS AND DOOR FRAMES BY CANTERBURY TIMBER

WINDOWS AND DOORS.







KINGSTON 501 Blackburn Road, Mount Waverley, VIC, 3149 P.O. Box 857, Mount Waverley, VIC, 3149 © COPYRIGHT Builders Licence N°: CDB-U 52967 ACN: 005 108 752in this drawing.
Unauthorised use, reproduction
or adaption is forbidden and will
be prosecuted.

OWNER: PRODUCT CODE: VF3SAN29KINSN CEILING: LOT 1 (No. 9) LAKE VICTORIA ROAD 25G R **EAGLE POINT** OB N°: 757436 PERMIT N°: TBC MASTER ISSUED: 03/04/2023 VIND SPEED: 40 M/S M9G CHECKED: J9I SHEET: **CONTRACT PLANS**

DATE: 28/08/2007 rinted 6/11/2025

